# Valor SMARTFIRE System

### LUXURY. EFFICIENCY. QUALITY. CONVENIENCE. HEAT.



### ADVANCED CONTROLS - VALORSTAT & VALORSTAT PLUS

The advancements of electronics has raised the bar in smart fireplace design. The ValorStat control system maintains a **steady, even comfort** and can be programmed to provide heat only when you want it - at the temperature you desire. The ValorStat Plus remote pilot ignition system (on direct vent models) allows you to turn the pilot light on and off as easy as your television set. By turning the pilot off for the summer you can enjoy up to 3 hours of heat every evening in January with the gas you've saved! A handheld remote control comes standard with all Legend G3 insert models.



### ZONE HEATING

Central furnaces burn a lot of gas in efforts to heat your entire home. By heating with a Valor, you can **efficiently heat individual living spaces** that you spend the most time in. Further, your duct system can lose up to 30% of the heat through leaks and inefficient design. A Valor has no ducts and delivers a blend of **radiant and convected heat** into the zone you spend most of your time. Zone Heating is a proven way to cut fuel consumption. Turn down your gas guzzler and turn on a Valor.



### **RADIANT HEAT**

Valor fireplaces are known for producing radiant heat - we do it by design. Radiant heat satisfies human comfort with up to **25% less energy** than warm air systems. Radiant heat replaces the chill lost to cold windows and walls and is what attracts humans to fire. Our radiant fires are another reason a Valor can **reduce your energy bill and increase your overall comfort**.

### HEAT DURING A POWER FAILURE

If the power fails in the winter your home can get cold fast. Valor fireplaces are **fully functional heaters that don't use electricity**. Our fireplaces provide the perfect mixture of **radiant and convective heat** eliminating the need for a noisy, inefficient fan. **No power, no problem** with Valor!



### **BURN CLEAN, ENGINEERED GREEN**

Natural gas is the **cleanest fireplace fuel** you can burn with the lowest particulate levels and lowest levels of greenhouse gases. Valor specializes in producing **energy efficient, heater-rated** natural gas fireplaces designed to consume less fuel than the average fireplace insert.



**valor** THE WISE WAY TO HEAT



Copyright Miles Industries Ltd. 2010 Proudly Made in North America



## valor LEGEND G3 INSERTS

Your Authorized Valor Dealer

Radiant Gas Fireplaces www.valorfireplaces.com



Create your own Legend at www.valorfireplaces.com/design Legend G3 Log Engine with FenderFire Double Doors (743FVI) and Cast Surround (715CVI)

### THE LIVING LEGEND CONTINUES...

We know that legends are made - not born.

And so, since introducing our first Valor Legend insert model in 1991, we have strived to improve on every aspect of our flagship line, seeking to exceed our customers' expectations with every new innovation.

The Legend G3 has further expanded the range of easy to use, energy saving features as well as some stunning new hearth enhancing designs.

Embodying over 100 years of Valor fireplace tradition accompanied by the latest in state-of-the-art technology, the Legend G3 continues to be the industries number one selling gas fireplace insert.





### FIREBED OPTIONS

The Legend G3 features:

- Handcrafted log set design
- Optional Creekside river rock and driftwood firebed
- Optional Decorative Rock Kit Accessory for the Creekside firebed
- Optional Gloss black enamel reflective panels (brick liners)



### SMART CONTROL SYSTEM

The ValorStat Remote Control gives you the power to select, adjust and program the desired temperature that you want.

The built-in timer turns your fireplace ON to warm your home before you wake up and can be programmed to turn OFF after you go to bed.

Our all new ValorStat Plus (featured on the direct vent G3) has the ability to turn your pilot light ON and OFF from the programmable remote control. You'll never have to get on your hands and knees to light the pilot again!



### STEADY, EVEN HEAT

As pioneers of radiant and convected heat technology, we've engineered the G3 to be a heater-rated, energy efficient fireplace.

A 70% turndown (with a low of 6,500 BTU

from a high of 26,000 BTU using natural gas) allows you to match the fire's intensity to your specific home comfort needs.

Not just on or off (which is inefficient) the Valor modulating system runs like cruise control, maximizing comfort and efficiency.



- 1. FenderFire Single Door (744FVI) with Cast Surround (715CVI)
- 2. Clearview Front (745CFV) with Clearview Cast Fret (758CCB) and 4-Sided Square Trim Kit in Vintage Iron (757STV)
- 3. Clearview Front (745CFV) with Ventana Fret (1225VFB) and 3-Sided Square Trim Kit in Black (756STB)
- 4. Contemporary Front in Vintage Iron (741SVI) with 3-Sided **Contour Trim Kit in Vintage Iron** (746VIK)

- 5. Contemporary Front in Black (741SFB ) with 4-Sided Contour Trim Kit in Black (748CTK) - Shown with Creekside & 759EBL Black Enamel Liner
- 6. Traditional Cast Front (742CFB) with 3-Sided Contour Trim Kit in Black (746CTK)
- 7. Clearview Front (745CFV) with Metropolis Andiron (1236MAP) and **3-Sided Square Trim Kit in Brushed Nickel** (756STP)

8. FenderFire Double Door (743FVI) with Oversized Trim Kit (753OTK)



### **4-SIDED CONTEMPORARY FRONT COLLECTION**

### **CLEARVIEW FRONT**

The Clearview Front is designed to maximize your overall viewing area of the flame and fuel bed, creating a distinct, realistic fire. Clean, well defined lines embrace contemporary design elements in your home, especially for renovators looking to update and upgrade an old fireplace.

Legend Creekside Firebed shown with Black Square Trim (756STB), Contemporary Front in Brushed Nickel (765CSN) and Decorative Rock Kit (761DRK)

Displayed with Solus Handcast Concrete Decor - learn more at solusdecor.com



solus





- 1. Black Square Trim Kit (756STB) and Contemporary Front in Copper (765CSC)
- 2. Vintage Square Trim Kit (756STV) and Contemporary Front in Black (765CSB)
- 3. Brushed Nickel Square Trim Kit (756STP) and Contemporary Front in Black (765CSB)

### 764PFB 4-SIDED PICTURE FRAME TRIM KIT

The Picture Frame 4-sided square trim kit works exclusively with the G3 Contemporary Front collection. Ideal for "up the wall" applications, the Picture Frame is evenly proportioned and landscape in design.

The 764PFB must be installed with a 765 Contemporary Front. Available in black only.





Legend G3 Log Engine with Clearview Front (745CFV), Ventana Fret (1225VFB) and Square Trim Kit in Black (756STB)

### **CREEKSIDE RIVER ROCK**

Introducing the Creekside river rock firebed for the Legend G3 Insert. Contemporary in design, the Creekside embodies a Zen-like mystique. The firebed glass base beautifully reflects and illuminates flame movement from within.

ENGINES	738BXN	G3 B-Vent Engine NG (Log Set with Red Brid	LEGE	ND G3 FIREP	
	738BXP	G3 B-Vent Engine Logs LPG (Log Set with		OMPONENT	
	739ILN	G3 Direct Vent Engine Logs NG (Log Set v			
	739ILP	G3 Direct Vent Engine Logs LPG (Log Set	with Red Brick Liner)	TNT	
	739IRN	G3 Direct Vent Engine NG (Creekside Rive	r Rock & Driftwood with Black Fluted Liner)		<b>FERIOR LINE</b>
	739IRP	G3 Direct Vent Engine LPG (Creekside Rive	r Rock & Driftwood with Black Fluted Liner)	1	
FRONTS	741SFB	Contemporary Steel Front - Black	Lo	g Set and Brick Lin	
	741SVI	Contemporary Steel Front - Vintage Iron			
	742CFB	Traditional Cast Iron Front - Black		a Day	
	743FVI	FenderFire Double Door - Black & Vinta	L	and the local	
	744FVI	FenderFire Single Door - Black & Vintage	e Iron		Der a
	745CFV	Clearview Front - Black & Vintage Iron	7 2 4		
FRETS	758CCB	Clearview Cast Fret*			
	1236MAP		Compatible frets for the 745CFV	Creekside R	lock Bed & Black F
	1225VFB	Ventana Fret - Black*	Clearview Front only.		
	RA24TB	Traditional Fret - Black*			1
	715CVI	Cast Surround Plate - Vintage Iron (29"h		4.4	
	746CTK	3-Sided Contour Trim Kit - Black (26-3/4			
	746VIK	3-Sided Contour Trim Kit - Vintage Iron	2	dolota	
	747DTK	3-Sided Deluxe Trim Kit - Black (26-3/4"			
	747VIK	3-Sided Deluxe Trim Kit - Vintage Iron (2	Creekside R	ock Bed & Black E	
	748CTK	4-Sided Contour Trim Kit - Black (30-1/4			
	748VIK	4-Sided Contour Trim Kit - Vintage Iron			
ES	749DTK	4-Sided Deluxe Trim Kit - Black (30-1/4"			
'AT	749VIK	4-Sided Deluxe Trim Kit - Vintage Iron (3			
ACCESSORIES TRIM KITS, SURROUNDS AND CLOSURE PLATES	750OCP	Oversized Closure Plate - Black (Maximu	2	faca	
	750OVI	Oversized Closure Plate - Vintage Iron (M	faximum Coverage 29-1/2"h X 42"w)		
	751LTK	Lift Trim Kit - Black			
	751LVK	Lift Trim Kit - Vintage Iron		RETS FOR TH	
	752BTK	Base Trim Kit - Black	CLE	ARVIEW FRC	
	752BVK	Base Trim Kit - Vintage Iron			
	753OTK	Oversized Trim Kit - Black (31"h X 45-3/	16"w)		
	753OTV	Oversized Trim Kit - Vintage Iron (31"h 2	X 45-3/16"w)	]  🖵	
	756STB	3-Sided Square Trim Kit - Black (27-1/8"	h X 37-1/2"w)		
	756STV	3-Sided Square Trim Kit - Vintage Iron (2	27-1/8"h X 37-1/2"w)		
	756STP	3-Sided Square Trim Kit - Brushed Nicke	l (27-1/8"h X 37-1/2"w)	1236MAP	Metropolis Polished
	757STB	4-Sided Square Trim Kit - Black (31-1/8"	h X 37-1/2"w)		-
	757STV	4-Sided Square Trim Kit - Vintage Iron (3	91-1/8"h X 37-1/2"w)		
	757STP	4-Sided Square Trim Kit - Brushed Nicke	l (31-1/8"h X 37-1/2"w)	7580	CCB Clearview Cast
	761DRK	Decorative Rock Kit (Optional Accessory	Kit for the Creekside Fuel Bed)	ΠΩΩ	
	762TRB	Temperature Reduction Baffle (Optional)			$\mathcal{H}$
	763TBB	Trimmable backing plate - Black (30-1/2"	'h X 42" w)		
	764PFB	Picture Frame Black - 4-Sided Square Trir	n Kit (27-1/8"h X 39-1/2"w)		VFB Ventana Fret - I
	765CSB	4-Sided Contemporary Front in Black			
	765CSC	4-Sided Contemporary Front in Copper			<u>ТНННННН</u>
	765CSN	4-Sided Contemporary Front in Brushed	Nickel		°
	754RSK	Rock Set Conversion Kit for the 738BXN	/BXP & 739ILN/ILP	RA247	TB Traditional Fret -
	755CFK	Circulating Fan Kit (with Variable Speed Thermally Act	ivated Controller - For use with 739 direct vent model only)		
	759EBL	Enamel Firebox Liner Kit in Gloss Black (	Replaces standard liner packed with heater)	1265WSK	Valor Wall Switc
AC	770ZCK	Zero Clearance Kit (738 b-vent model only)			(Works in conjunction with the Handset. <i>For use with 739 dire</i>

### D G3 FIREPLACE MPONENTS

# **LEGEND G3 SERIES**

ERIOR LINERS	Conventional B-Venting		PRODUCT DIMENSIONS FOR 738 & 739 MODELS									
g Set and Brick Liner	738	OUTSIDE FOR COM EXHAUST			28-14 rent 15-1/2" 15-1/2" 28-14" 15-1/2" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10"		3" dia entry 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20-10" 20			p.		
	Use either the B-Vent model (top) with a single 3" liner		мот	DEL/H	UEL							
H	or the Direct Vent (bottom) with co-linear 3" venting. Direct Venting	ı	Model	Fuel	Max. Input BTU/hr	Min. Input BTU/hr	Fuel Bed Options (Creekside or Log set)	Control System (ValorStat/ ValorStat Plus)	Fan Option	EnerGuide Rating**	AFUE**	Max. Output** (w/out fan) BTU/hr
			738BXN	NG	24,000	6,500	Log set	ValorStat Tus)	No	59%	63.4%	16,169
ock Bed & Black Enamel Liner	FIL	S	738BXP	LPG	24,000	13,000	Log set	ValorStat	No	59%	63.4%	16,169
	HT	OPTIONS	739ILN	NG	26,000	6,500	Log set	ValorStat Plus	Yes	66.4%	65.7%	17,490
		Ĭ	739ILP	LPG	24,000	13,000	Log set	ValorStat Plus	Yes	63.3%	65.5%	16,171
		) D	739IRN	NG	26,000	6,500	Creekside	ValorStat Plus	Yes	66.4%	65.7%	17,490
RETS FOR THE ARVIEW FRONT	Fill in the diagram dimension	<b>NENTING</b>	CAN 1-2. 17	Gas Fired A	ppliances For U	ented Gas Fireplac		This ensures of Beware of misl by manufactur For more infor	eading "sto ers using t	eady state" eff heir own "in-	iciency clain house" test 1	ns made nethods.
Metropolis Polished Andiron			vork in you			MANTEL CLEARANCES			14" (3559M/) 8" (203M0) 4" (103M0) 1" (359M0) 2" 28	F'(711500)	25" (885MM)	" (%55MA)
•   •   B Traditional Fret - Black   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •   •	ENERCUIDE Look for the EnerGuide Gas Fireplace Energy Efficiency Rating in this brochure		, .		0	may vary from	actual product.	HEAT CREEN	APIN DULLE	WAR	ALOR RANTY PRO	GRAM









